

Author index to volume 228

- Abedinzadeh, Z., see Picquart, M. 228 (1998) 279
 Abramczyk, H., M. Kołodziejcki and G. Waliszewska, Vibrational relaxation of diphenylacetylene at low temperatures 228 (1998) 313
 Al-Shamery, K., see Thiel, S. 228 (1998) 185
 Alikhani, M.E., see Manceron, L. 228 (1998) 73

 Bacchus-Montabonel, M.C., Theoretical treatment of state-selective one-electron capture by S^{3+} ions in collisions with helium 228 (1998) 181
 Baker, L.A. and S. Su, An ab initio molecular orbital study of the reaction $NH_2 + NO \rightarrow H_2 + N_2O$ 228 (1998) 9
 Baron, M.H., see Picquart, M. 228 (1998) 279
 Burdick, G.W. and F.S. Richardson, Application of the correlation-crystal-field delta-function model in analyses of $Pr^{3+}(4f^2)$ energy-level structures in crystalline hosts 228 (1998) 81

 Caminati, W., see Favero, L.B. 228 (1998) 219
 Chalaris, M., see Chatzis, G. 228 (1998) 241
 Chatzis, G., M. Chalaris and J. Samios, Structural and dynamical properties of HCl dissolved in CCl_4 . A molecular dynamics study 228 (1998) 241
 Consalvo, D., V. Storm and H. Dreizler, Structure of aniline–X ($X = Ar, {}^{20}Ne, {}^{22}Ne$) from high resolution microwave spectroscopy data 228 (1998) 301
 Corbelli, G., see Favero, L.B. 228 (1998) 219

 Doetschman, D.C. and G.D. Thomas, Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group 228 (1998) 103
 Dopfer, O., see Tulej, M. 228 (1998) 293
 Dreizler, H., see Consalvo, D. 228 (1998) 301

 Favero, L.B., G. Corbelli, B. Velino, W. Caminati and P.G. Favero, Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH_2 group in the gauche-equatorial conformer 228 (1998) 219
 Favero, P.G., see Favero, L.B. 228 (1998) 219
 Forsberg, N., see Malmqvist, P.-Å. 228 (1998) 227
 Freund, H.-J., see Thiel, S. 228 (1998) 185

 Gan, Z., K. Su, Y. Wang and Z. Wen, Several excited states and thermochemical properties of PH_n ($n = 1-3$) – a high level ab initio study 228 (1998) 31
 Grajcar, L., see Picquart, M. 228 (1998) 279

- Guallar, V., M. Moreno and J.M. Lluch, On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds 228 (1998) 1
Guest, M.F., see Palmer, M.H. 228 (1998) 39
- Hameka, H.F., Transformation of the helium atom Schrödinger equation into integral form 228 (1998) 61
Hansen, F.Y., see Lajer, D. 228 (1998) 205
Hong, X. and T.A. Miller, Determination of concentrations via the diminution of Doppler shifts by radiation trapping 228 (1998) 131
Hong, X., see Suh, M.H. 228 (1998) 145
- Joly, H.A., see Manceron, L. 228 (1998) 73
- Kirkwood, D.A., see Tulej, M. 228 (1998) 293
Kitagawa, T., see Nakashima, S. 228 (1998) 323
Klüner, T., see Thiel, S. 228 (1998) 185
Kołodziejski, M., see Abramczyk, H. 228 (1998) 313
- Lajer, D. and F.Y. Hansen, Temperature dependence of the dissociative sticking probability of N₂ on Fe(111): evidence for both a direct and a precursor mechanism 228 (1998) 205
Latajka, Z., see Wierzejewska, M. 228 (1998) 17
Levine, R.D., Monte Carlo, maximum entropy and importance sampling 228 (1998) 255
Lluch, J.M., see Guallar, V. 228 (1998) 1
- Maccaferri, G., see Tulej, M. 228 (1998) 293
MacDonald, M., see Palmer, M.H. 228 (1998) 39
Maier, J.P., see Tulej, M. 228 (1998) 293
Malmqvist, P.-Å. and N. Forsberg, Franck-Condon factors for multidimensional harmonic oscillators 228 (1998) 227
Manceron, L., M.E. Alikhani and H.A. Joly, Infrared matrix isolation and DFT study of NiN₂ 228 (1998) 73
Masuda, T., see Tada, T. 228 (1998) 157
Matsumoto, T., see Tada, T. 228 (1998) 157
McNab, H., see Palmer, M.H. 228 (1998) 39
Meath, W.J., see Salam, A. 228 (1998) 115
Mielke, Z., see Wierzejewska, M. 228 (1998) 17
Miller, T.A., see Hong, X. 228 (1998) 131
Miller, T.A., see Suh, M.H. 228 (1998) 145
Moreno, M., see Guallar, V. 228 (1998) 1
- Nakashima, S., T. Kitagawa and J.S. Olson, Time-resolved resonance Raman study of intermediates generated after photodissociation of wild-type and mutant CO-myoglobins 228 (1998) 323
- Olson, J.S., see Nakashima, S. 228 (1998) 323
- Palmer, M.H., H. McNab, I.C. Walker, M.F. Guest, M. MacDonald and M.R.F. Siggel, The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies 228 (1998) 39

- Pecina, O. and W. Schmickler, A model for electrochemical proton-transfer reactions 228 (1998) 265
- Picquart, M., Z. Abedinzadeh, L. Grajcar and M.H. Baron, Spectroscopic study of N-acetylcysteine and N-acetylcysteine/hydrogen peroxide complexation 228 (1998) 279
- Richardson, F.S., see Burdick, G.W. 228 (1998) 81
- Sakimoto, K., Theoretical investigation of collision induced dissociation in He + Na₂ 228 (1998) 167
- Salam, A. and W.J. Meath, On enantiomeric excesses obtained from racemic mixtures by using circularly polarized pulsed lasers of varying durations 228 (1998) 115
- Samios, J., see Chatzis, G. 228 (1998) 241
- Schmickler, W., see Pecina, O. 228 (1998) 265
- Siggel, M.R.F., see Palmer, M.H. 228 (1998) 39
- Storm, V., see Consalvo, D. 228 (1998) 301
- Su, K., see Gan, Z. 228 (1998) 31
- Su, S., see Baker, L.A. 228 (1998) 9
- Suh, M.H., X. Hong and T.A. Miller, He metastable concentration measurements in a glow discharge 228 (1998) 145
- Tada, T., T. Matsumoto and T. Masuda, Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems 228 (1998) 157
- Thiel, S., T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund, The role of the initial population of molecular vibrations in surface photochemistry 228 (1998) 185
- Thomas, G.D., see Doetschman, D.C. 228 (1998) 103
- Tulej, M., D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier, Electronic spectra of linear carbon anions 228 (1998) 293
- Velino, B., see Favero, L.B. 228 (1998) 219
- Waliszewska, G., see Abramczyk, H. 228 (1998) 313
- Walker, I.C., see Palmer, M.H. 228 (1998) 39
- Wang, Y., see Gan, Z. 228 (1998) 31
- Wen, Z., see Gan, Z. 228 (1998) 31
- Wieczorek, R., see Wierzejewska, M. 228 (1998) 17
- Wierzejewska, M., Z. Mielke, R. Wieczorek and Z. Latajka, Infrared matrix isolation and theoretical studies of SO₂-HNO₃ and SO₂-HONO systems 228 (1998) 17
- Wilde, M., see Thiel, S. 228 (1998) 185



Subject index to volume 228

Methods and constructs

Theoretical

Computational methods for electronic structure

- On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds, V. Guallar, M. Moreno and J.M. Lluch 228 (1998) 1
- An ab initio molecular orbital study of the reaction $\text{NH}_2 + \text{NO} \rightarrow \text{H}_2 + \text{N}_2\text{O}$, L.A. Baker and S. Su 228 (1998) 9
- Infrared matrix isolation and theoretical studies of $\text{SO}_2\text{--HNO}_3$ and $\text{SO}_2\text{--HONO}$ systems, M. Wierzejewska, Z. Mielke, R. Wiczorek and Z. Latajka 228 (1998) 17

-CI and valence bond approach

- Several excited states and thermochemical properties of PH_n ($n = 1\text{--}3$) – a high level ab initio study, Z. Gan, K. Su, Y. Wang and Z. Wen 228 (1998) 31
- The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, I.C. Walker, M.F. Guest, M. MacDonald and M.R.F. Siggel 228 (1998) 39

-perturbative and many body approaches

- Several excited states and thermochemical properties of PH_n ($n = 1\text{--}3$) – a high level ab initio study, Z. Gan, K. Su, Y. Wang and Z. Wen 228 (1998) 31
- Transformation of the helium atom Schrödinger equation into integral form, H.F. Hameka 228 (1998) 61

-density functional theory

- Infrared matrix isolation and DFT study of NiN_2 , L. Manceron, M.E. Alikhani and H.A. Joly 228 (1998) 73

Semiempirical methods

- Application of the correlation-crystal-field delta-function model in analyses of $\text{Pr}^{3+}(4f^2)$ energy-level structures in crystalline hosts, G.W. Burdick and F.S. Richardson 228 (1998) 81

Algebraic approaches

- Transformation of the helium atom Schrödinger equation into integral form, H.F. Hameka 228 (1998) 61
- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103
- On enantiomeric excesses obtained from racemic mixtures by using circularly polarized pulsed lasers of varying durations, A. Salam and W.J. Meath 228 (1998) 115

Radiative (incl. relativistic) effects on molecules and molecular processes

- Determination of concentrations via the diminution of Doppler shifts by radiation trapping, X. Hong and T.A. Miller 228 (1998) 131

Scattering of waves and particles

- Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems, T. Tada, T. Matsumoto and T. Masuda 228 (1998) 157
- Theoretical investigation of collision induced dissociation in $\text{He} + \text{Na}_2$, K. Sakimoto 228 (1998) 167

Collisional and reactive molecular dynamics with non-frictional forces

- Theoretical investigation of collision induced dissociation in $\text{He} + \text{Na}_2$, K. Sakimoto 228 (1998) 167
- Theoretical treatment of state-selective one-electron capture by S^{3+} ions in collisions with helium, M.C. Bacchus-Montabonel 228 (1998) 181

Reactive molecular dynamics including dissipative processes

- The role of the initial population of molecular vibrations in surface photochemistry, S. Thiel, T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund 228 (1998) 185
- Temperature dependence of the dissociative sticking probability of N_2 on Fe(111): evidence for both a direct and a precursor mechanism, D. Lajer and F.Y. Hansen 228 (1998) 205

Intramolecular dynamics

- Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH_2 group in the gauche-equatorial conformer, L.B. Favero, G. Corbelli, B. Velino, W. Caminati and P.G. Favero 228 (1998) 219

Molecular dynamics of many particle systems and condensed phases

- Franck-Condon factors for multidimensional harmonic oscillators, P.-Å. Malmqvist and N. Forsberg 228 (1998) 227
- Structural and dynamical properties of HCl dissolved in CCl_4 . A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241

Statistical computational methods (incl. Monte Carlo)

- Structural and dynamical properties of HCl dissolved in CCl_4 . A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241
- Monte Carlo, maximum entropy and importance sampling, R.D. Levine 228 (1998) 255
- A model for electrochemical proton-transfer reactions, O. Pecina and W. Schmickler 228 (1998) 265

Equilibrium statistical mechanics and thermodynamics

- Structural and dynamical properties of HCl dissolved in CCl_4 . A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241

Experiment

Magnetic resonances

- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103

-Molecular spectroscopy

- The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, I.C. Walker, M.F. Guest, M. MacDonald and M.R.F. Siggel 228 (1998) 39
- He metastable concentration measurements in a glow discharge, M.H. Suh, X. Hong and T.A. Miller 228 (1998) 145
- Spectroscopic study of N-acetylcysteine and N-acetylcystine/hydrogen peroxide complexation, M. Picquart, Z. Abedinzadeh, L. Grajcar and M.H. Baron 228 (1998) 279
- Electronic spectra of linear carbon anions, M. Tulej, D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier 228 (1998) 293

-microwave

- Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH₂ group in the gauche-equatorial conformer, L.B. Favero, G. Corbelli, B. Velino, W. Caminati and P.G. Favero 228 (1998) 219
- Structure of aniline-X (X = Ar, ²⁰Ne, ²²Ne) from high resolution microwave spectroscopy data, D. Consalvo, V. Storm and H. Dreizler 228 (1998) 301

-infrared

- Infrared matrix isolation and theoretical studies of SO₂-HNO₃ and SO₂-HONO systems, M. Wierzejewska, Z. Mielke, R. Wieczorek and Z. Latajka 228 (1998) 17
- Infrared matrix isolation and DFT study of NiN₂, L. Manceron, M.E. Alikhani and H.A. Joly 228 (1998) 73
- Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems, T. Tada, T. Matsumoto and T. Masuda 228 (1998) 157

-Raman

- Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems, T. Tada, T. Matsumoto and T. Masuda 228 (1998) 157
- Vibrational relaxation of diphenylacetylene at low temperatures, H. Abramczyk, M. Kołodziejwski and G. Waliszewska 228 (1998) 313
- Time-resolved resonance Raman study of intermediates generated after photodissociation of wild-type and mutant CO-myoglobins, S. Nakashima, T. Kitagawa and J.S. Olson 228 (1998) 323

Objects

Bulk systems

- Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH₂ group in the gauche-equatorial conformer, L.B. Favero, G. Corbelli, B. Velino, W. Caminati and P.G. Favero 228 (1998) 219

Liquid mixtures and solutions

- Structural and dynamical properties of HCl dissolved in CCl₄. A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241

Crystals

- Application of the correlation-crystal-field delta-function model in analyses of Pr³⁺(4f²) energy-level structures in crystalline hosts, G.W. Burdick and F.S. Richardson 228 (1998) 81

Polymers

- Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems, T. Tada, T. Matsumoto and T. Masuda 228 (1998) 157

Thin films

- The role of the initial population of molecular vibrations in surface photochemistry, S. Thiel, T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund 228 (1998) 185

Surfaces

- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103
 The role of the initial population of molecular vibrations in surface photochemistry, S. Thiel, T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund 228 (1998) 185
 Temperature dependence of the dissociative sticking probability of N₂ on Fe(111): evidence for both a direct and a precursor mechanism, D. Lajer and F.Y. Hansen 228 (1998) 205
 A model for electrochemical proton-transfer reactions, O. Pecina and W. Schmickler 228 (1998) 265

Microscopic and mesoscopic systems*Single atoms, molecules and assemblies (incl. biological)*

- Transformation of the helium atom Schrödinger equation into integral form, H.F. Hameka 228 (1998) 61
 On enantiomeric excesses obtained from racemic mixtures by using circularly polarized pulsed lasers of varying durations, A. Salam and W.J. Meath 228 (1998) 115
 He metastable concentration measurements in a glow discharge, M.H. Suh, X. Hong and T.A. Miller 228 (1998) 145

Molecules (neutral and ionic)

- On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds, V. Guallar, M. Moreno and J.M. Lluch 228 (1998) 1
 An ab initio molecular orbital study of the reaction NH₂ + NO → H₂ + N₂O, L.A. Baker and S. Su 228 (1998) 9
 Infrared matrix isolation and theoretical studies of SO₂-HNO₃ and SO₂-HONO systems, M. Wierzejewska, Z. Mielke, R. Wieczorek and Z. Latajka 228 (1998) 17
 Several excited states and thermochemical properties of PH_n (n = 1-3) - a high level ab initio study, Z. Gan, K. Su, Y. Wang and Z. Wen 228 (1998) 31
 Determination of concentrations via the diminution of Doppler shifts by radiation trapping, X. Hong and T.A. Miller 228 (1998) 131
 Theoretical investigation of collision induced dissociation in He + Na₂, K. Sakimoto 228 (1998) 167

-diatomic

- Temperature dependence of the dissociative sticking probability of N_2 on Fe(111): evidence for both a direct and a precursor mechanism, D. Lajer and F.Y. Hansen 228 (1998) 205

-small polyatomics

- Infrared matrix isolation and DFT study of NiN_2 , L. Manceron, M.E. Alikhani and H.A. Joly 228 (1998) 73
- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103
- Theoretical treatment of state-selective one-electron capture by S^{3+} ions in collisions with helium, M.C. Bacchus-Montabonel 228 (1998) 181
- Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH_2 group in the gauche-equatorial conformer, L.B. Favero, G. Corbelli, B. Velino, W. Caminati and P.G. Favero 228 (1998) 219
- Spectroscopic study of N-acetylcysteine and N-acetylcystine/hydrogen peroxide complexation, M. Picquart, Z. Abedinzadeh, L. Grajcar and M.H. Baron 228 (1998) 279
- Vibrational relaxation of diphenylacetylene at low temperatures, H. Abramczyk, M. Kołodziejwski and G. Waliszewska 228 (1998) 313

-aromatics

- The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, I.C. Walker, M.F. Guest, M. MacDonalld and M.R.F. Siggel 228 (1998) 39

Molecular aggregates

- Infrared matrix isolation and theoretical studies of SO_2-HNO_3 and SO_2-HONO systems, M. Wierzejewska, Z. Mielke, R. Wieczorek and Z. Latajka 228 (1998) 17

-dimers

- On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds, V. Guallar, M. Moreno and J.M. Lluch 228 (1998) 1

-complexes

- Spectroscopic study of N-acetylcysteine and N-acetylcystine/hydrogen peroxide complexation, M. Picquart, Z. Abedinzadeh, L. Grajcar and M.H. Baron 228 (1998) 279
- Structure of aniline-X ($X = Ar, {}^{20}Ne, {}^{22}Ne$) from high resolution microwave spectroscopy data, D. Consalvo, V. Storm and H. Dreizler 228 (1998) 301
- Time-resolved resonance Raman study of intermediates generated after photodissociation of wild-type and mutant CO-myoglobins, S. Nakashima, T. Kitagawa and J.S. Olson 228 (1998) 323

Ions and charge carriers

- Application of the correlation-crystal-field delta-function model in analyses of $Pr^{3+}(4f^2)$ energy-level structures in crystalline hosts, G.W. Burdick and F.S. Richardson 228 (1998) 81
- A model for electrochemical proton-transfer reactions, O. Pecina and W. Schmickler 228 (1998) 265
- Electronic spectra of linear carbon anions, M. Tulej, D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier 228 (1998) 293

Phenomena

Molecular structure

- On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds, V. Guallar, M. Moreno and J.M. Lluch 228 (1998) 1
- The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, I.C. Walker, M.F. Guest, M. MacDonald and M.R.F. Siggel 228 (1998) 39
- Infrared matrix isolation and DFT study of NiN_2 , L. Manceron, M.E. Alikhani and H.A. Joly 228 (1998) 73
- Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems, T. Tada, T. Matsumoto and T. Masuda 228 (1998) 157
- Structural and dynamical properties of HCl dissolved in CCl_4 . A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241

Vibrations and rotations of molecules

- Infrared matrix isolation and theoretical studies of $\text{SO}_2\text{-HNO}_3$ and $\text{SO}_2\text{-HONO}$ systems, M. Wierzejewska, Z. Mielke, R. Wieczorek and Z. Latajka 228 (1998) 17
- Rotational spectrum of aminocyclobutane: internal rotation and inversion of the NH_2 group in the gauche-equatorial conformer, L.B. Favero, G. Corbelli, B. Velino, W. Caminati and P.G. Favero 228 (1998) 219
- Franck-Condon factors for multidimensional harmonic oscillators, P.-Å. Malmqvist and N. Forsberg 228 (1998) 227
- Structure of aniline-X ($\text{X} = \text{Ar}, {}^{20}\text{Ne}, {}^{22}\text{Ne}$) from high resolution microwave spectroscopy data, D. Consalvo, V. Storm and H. Dreizler 228 (1998) 301
- Vibrational relaxation of diphenylacetylene at low temperatures, H. Abramczyk, M. Kołodziejski and G. Waliszewska 228 (1998) 313
- Time-resolved resonance Raman study of intermediates generated after photodissociation of wild-type and mutant CO-myoglobins, S. Nakashima, T. Kitagawa and J.S. Olson 228 (1998) 323

Surface chemical physics

- Molecular motions of nitroxyl radical spin probes in X-zeolites. Dependence on zeolite cation and spin probe chemical functional group, D.C. Doetschman and G.D. Thomas 228 (1998) 103

-desorption

- The role of the initial population of molecular vibrations in surface photochemistry, S. Thiel, T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund 228 (1998) 185

-catalysis

- Temperature dependence of the dissociative sticking probability of N_2 on Fe(111): evidence for both a direct and a precursor mechanism, D. Lajer and F.Y. Hansen 228 (1998) 205

Electronic structure and states

- Transformation of the helium atom Schrödinger equation into integral form, H.F. Hamerka 228 (1998) 61
- Application of the correlation-crystal-field delta-function model in analyses of $\text{Pr}^{3+}(4f^2)$ energy-level structures in crystalline hosts, G.W. Burdick and F.S. Richardson 228 (1998) 81

- Determination of concentrations via the diminution of Doppler shifts by radiation trapping, X. Hong and T.A. Miller 228 (1998) 131
- He metastable concentration measurements in a glow discharge, M.H. Suh, X. Hong and T.A. Miller 228 (1998) 145
- Electronic spectra of linear carbon anions, M. Tulej, D.A. Kirkwood, G. Maccaferri, O. Dopfer and J.P. Maier 228 (1998) 293
- Optical activity*
- On enantiomeric excesses obtained from racemic mixtures by using circularly polarized pulsed lasers of varying durations, A. Salam and W.J. Meath 228 (1998) 115
- Spectral bandshapes and intensities*
- Structural and dynamical properties of HCl dissolved in CCl₄. A molecular dynamics study, G. Chatzis, M. Chalaris and J. Samios 228 (1998) 241
- Molecular photophysical processes*
- On enantiomeric excesses obtained from racemic mixtures by using circularly polarized pulsed lasers of varying durations, A. Salam and W.J. Meath 228 (1998) 115
- Photochemistry*
- On the localization of the electronic excitation in supramolecules built up by equivalent units linked by hydrogen bonds, V. Guallar, M. Moreno and J.M. Lluch 228 (1998) 1
- The role of the initial population of molecular vibrations in surface photochemistry, S. Thiel, T. Klüner, M. Wilde, K. Al-Shamery and H.-J. Freund 228 (1998) 185
- Reactions (incl. dissociation)*
- An ab initio molecular orbital study of the reaction $\text{NH}_2 + \text{NO} \rightarrow \text{H}_2 + \text{N}_2\text{O}$, L.A. Baker and S. Su 228 (1998) 9
- Temperature dependence of the dissociative sticking probability of N₂ on Fe(111): evidence for both a direct and a precursor mechanism, D. Lajer and F.Y. Hansen 228 (1998) 205
- Spectroscopic study of N-acetylcysteine and N-acetylcysteine/hydrogen peroxide complexation, M. Picquart, Z. Abedinzadeh, L. Grajcar and M.H. Baron 228 (1998) 279
- collisional*
- Theoretical investigation of collision induced dissociation in $\text{He} + \text{Na}_2$, K. Sakimoto 228 (1998) 167
- Theoretical treatment of state-selective one-electron capture by S³⁺ ions in collisions with helium, M.C. Bacchus-Montabonel 228 (1998) 181
- condensed phase*
- A model for electrochemical proton-transfer reactions, O. Pecina and W. Schmickler 228 (1998) 265
- Proton and hydrogen atom transfer*
- A model for electrochemical proton-transfer reactions, O. Pecina and W. Schmickler 228 (1998) 265

Ionization (incl. Rydberg states)

The electronic states and molecular properties of 1,2,3-triazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, I.C. Walker, M.F. Guest, M. MacDonald and M.R.F. Siggel

228 (1998) 39